REPORT RESUMES

ED 017 655 VT 001 863

DISABILITIES IN OKLAHOMA--ESTIMATES AND PROJECTIONS, REPORT OF THE OKLAHOMA SURVEY OF DISABILITIES.

BY- BOHLEBER, MICHAEL E.

OKLAHOMA STATE UNIV., STILLWATER, RES. FOUNDATION

PUB DATE 66

EDRS PRICE MF-$0.50 HC-$3.64 89P.

DESCRIPTORS- *MENTALLY HANDICAPPED, *PHYSICALLY HANDICAPPED, *STATE SURVEYS, *INTERVIEWS, ATTITUDES, *STATISTICAL DATA, QUESTIONNAIRES, RURAL URBAN DIFFERENCES, INDIVIDUAL CHARACTERISTICS, VOCATIONAL REHABILITATION, AGE, SEX (CHARACTERISTICS), RACIAL CHARACTERISTICS, POPULATION TRENDS, OKLAHOMA,

THE PURPOSE OF THE STUDY WAS TO PROVIDE REASONABLY ACCURATE ESTIMATES OF THE NUMBER AND TYPES OF DISABLED PERSONS AND THEIR NEEDS AS A BASIS FOR BOTH PRESENT AND FUTURE PLANNING. PERSONAL INTERVIEWS WERE CONDUCTED WITH ADULT RESPONDENTS IN 3,000 HOUSEHOLDS IN OKLAHOMA, A RANDOM SAMPLE STATIFIED ON THE RURAL-URBAN DIMENSION. DATA FROM 2,058 INTERVIEWS ARE PRESENTED FOR THE FOLLOWING DISABILITIES--(1) VISUAL DEFECTS, (2) HEARING DEFECTS, (3) FUNCTIONAL IMPAIRMENTS, (4) ABSENCE OF LIMB, OR AMPUTATIONS, (5) MENTAL OR PERSONALITY DISORDERS, AND (6) OTHER CONDITIONS SUCH AS CANCER, ALLERGY, EPILEPSY, HEART AND CIRCULATORY CONDITIONS, ULCERS, AND SPEECH IMPAIRMENTS. TABULAR DATA ARE PRESENTED FOR (1) ESTIMATES OF NUMBERS OF PERSONS AND IN EACH OF 10 VOCATIONAL REHABILITATION PLANNING AREAS HAVING DISABILITIES, 1970 AND 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE, (3) CHARACTERISTICS OF PERSONS HAVING DISABILITIES, (4) ESTIMATES OF NUMBERS OF PERSONS WHO HAVE SPENT TIME IN MENTAL HOSPITALS OR CORRECTIONAL INSTITUTIONS, (5) ATTITUDES OF RESPONDENTS TOWARD MENTAL HOSPITALS, AND (6) ATTITUDES OF RESPONDENTS TOWARD FORMER INMATES OF MENTAL HOSPITALS AND PRISONS. FROM THE SAMPLE, IT WAS ESTIMATED THAT 17.1 PERCENT OF THE POPULATION HAD SOME PHYSICAL OR MENTAL DISABILITY. (PS)

ED017655

DISABILITIES IN OKLAHOMA: ESTIMATES AND PROJECTIONS

Report of

THE OKLAHOMA SURVEY OF DISABILITIES

Conducted through

THE OKLAHOMA STATE UNIVERSITY
RESEARCH FOUNDATION

under contract with

OKLAHOMA VOCATIONAL REHABILITATION DIVISION
STATE BOARD FOR VOCATIONAL EDUCATION

supported by

U. S. Department of Health, Education, and Welfare
Vocational Rehabilitation Administration
Grant No. 756/81303

MICHAEL E. BOHLEBER, PH.D.
DEPARTMENT OF SOCIOLOGY

VT001863

186

U.S. DEPARTMENT OF HEALTH, EDUCATION & WELFARE
OFFICE OF EDUCATION

THIS DOCUMENT HAS BEEN REPRODUCED EXACTLY AS RECEIVED FROM THE PERSON OR ORGANIZATION ORIGINATING IT. POINTS OF VIEW OR OPINIONS STATED DO NOT NECESSARILY REPRESENT OFFICIAL OFFICE OF EDUCATION POSITION OR POLICY.

DISABILITIES IN OKLAHOMA:
ESTIMATES AND PROJECTIONS

Report of
THE OKLAHOMA SURVEY OF DISABILITIES

Conducted through
THE OKLAHOMA STATE UNIVERSITY
RESEARCH FOUNDATION

under contract with
OKLAHOMA VOCATIONAL REHABILITATION DIVISION
STATE BOARD FOR VOCATIONAL EDUCATION

supported by
U.S. Department of Health, Education, and Welfare
Vocational Rehabilitation Administration
Grant No. 756/81303

MICHAEL E. BOHLEBER, PH.D.
DEPARTMENT OF SOCIOLOGY

TABLE OF CONTENTS

Page

INTRODUCTION 1
ESTIMATES AND PROJECTIONS FOR THE STATE 10
ESTIMATES AND PROJECTIONS FOR THE VOCATIONAL REHABILITATION PLANNING AREAS 20
Planning Area 1 20
Planning Area 2 26
Planning Area 3 32
Planning Area 4 38
Planning Area 5 44
Planning Area 6 50
Planning Area 7 56
Planning Area 8 62
Planning Area 9 68
Planning Area 10 74
APPENDIX 80

INTRODUCTION

The essence of science is reliable knowledge, that is, knowledge based on carefully controlled empirical observations. Experience is teaching us that sound decisions by policy-making groups, especially in an increasingly complex world, also must be based on reliable knowledge. In the case of both science and sound governmental policy, too much is at stake frequently to accept the assumptions that are available, especially when the validity of those assumptions is testable. The research reported in the following pages is based partly on these considerations.

The assumptions which are questioned by the research reported here are those concerning the prevalence of physical and mental disabilities in the population of Oklahoma, the types of disabilities, and the needs of the persons who have disabilities. During the summer of 1966, the questions to be asked were specified by personnel of the Vocational Rehabilitation Division, State Board for Vocational Education, and, accordingly, a study was designed which would provide reasonably accurate estimates of the number and types of disabled persons in Oklahoma and their needs. Also, in order to provide a basis for planning for future needs, projections of the estimates for the years 1970 and 1975 were to be made. Knowledge about the characteristics of the population having disabilities is desirable, and therefore estimates appear by age, sex, race, and residence. In addition, employment characteristics of disabled persons and their willingness to leave home for employment or training are provided.

Recognizing that the attitudes of the population toward rehabilitating services are an important aspect of the effectiveness of these services, the research plan included an assessment of Oklahomans' attitudes toward mental hospitals and former mental patients and prison inmates. The results of this assessment appear below in Tables V and VI.

Following the Introduction, which consists of a description of the research and a discussion of the reliability of its results, there appear tables for the state and for each of the ten Vocational Rehabilitation Planning Areas (see Figure 1).

The Method of Study. The survey research technique was employed, with the design calling for personal interviews with adult respondents in a random sample of 3,000 households in Oklahoma.

The sample is a stratified random sample, stratified on the rural-urban dimension. Rural and urban samples were drawn separately for two reasons: to ensure proportionate representation of both types of population and to facilitate sampling with the use of available city directories. The nineteen largest urban places were designated as representing


CIMARRON
TEXAS
BEAVER
HARPER
WOODS
8
ALFALFA
GRANT
KAY
OSAGE
9
WASH
NOWATA
CRAIG
OTTAWA
DEL
ROGERS
MAYES
1
ELLIS
WOODWARD
MAJOR
GARFIELD
NOBLE
PAWNEE
PAYNE
CREEK
TULSA
WAGONER
CHERO.
ADAIR
2
DEWEY
BLAINE
KINGFISHER
LOGAN
LINCOLN
OKMULGEE
MUSKOGEE
SEQUOYAH
ROGER MILLS
CUSTER
7
CANADIAN
OKLAHOMA
10
OKFUSKEE
McINTOSH
CADDO
WASHITA
BECKHAM
GRADY
CLEVELAND
POTTAWATOMIE
SEMINOLE
HUGHES
HASKELL
PITTSBURG
LE FLORE
GREER
KIOWA
McCLAIN
LATIMER
3
HARMON
COMANCHE
GARVIN
5
PONTOTOC
4
COAL
JACKSON
6
STEPHENS
MURRAY
JOHNSTON
ATOKA
PUSHMATAHA
TILLMAN
COTTON
CARTER
McCURTAIN
JEFFERSON
LOVE
MARSHALL
BRYAN
CHOCTAW

Figure 1. Oklahoma Vocational Rehabilitation Planning Areas.

the urban population. The population of the smallest of these places is about 13,000. In all, the population of the nineteen cities constitutes about 44 per cent of the total state population.

The rural population was sampled by first drawing a random sample of 100 townships. Then, within each drawn township, a random sample of houses was drawn. On the basis of 1960 Bureau of the Census reports, according to which there are 734,593 occupied dwelling units, a sample of 3,000 dwelling units would yield a sampling ratio of 4 per 1,000. Under the assumptions of probability sampling, every occupied household in Oklahoma had one chance in 250 of being included in the sample.

A letter explaining the research and announcing the visit of an interviewer was mailed to every respondent in the sample. Of the 3,000 letters mailed, only 247 were returned for failure to locate address, etc.

The interview schedule, a copy of which appears in the Appendix, was constructed as a joint effort of the writer and the personnel of the office of the Project Director for Statewide Planning, Vocational Rehabilitation Division. It was pretested in the Stillwater area, and the pretest resulted in the splitting of items 19 and 20, which originally were one question. Also, the pretest indicated that certain items were not applicable to all persons with disabilities, for example, the very young and the very old.

Interviewing was conducted by more than one hundred interviewers, most of whom were school counselors located throughout the state. Practically all interviewing in Oklahoma City and Tulsa was conducted by students who received special training. Interviewing in Tulsa was carried out largely by Tulsa University students under the guidance of Dr. Nancy Feldman.

Of the interviews returned, 2,058 were used for the tabulations. Others were rejected because of incomplete data. However, the largest discrepancy in failing to complete 3,000 interviews resulted from lack of ability of the interviewers to locate respondents. Failure to locate address, vacancy of the house, and repeated absence of occupants were the most frequently given reasons for failure to complete interviews. There were *refusals*, but the refusal rate was not recorded. The general impression is that the refusal rate was low. Interviewers reported that the general response of persons in the sample was very favorable and that the willingness of respondents to answer the questions was much greater than expected.

Data were coded for tabulation on machine cards, and the analysis was conducted through the computer facility at Oklahoma State University.

Interpretation. The interpretation of the estimates which appear in this report hinges on several considerations. First, there is the question of definitions. A person is defined as having a disability if he is enumerated by the interviewer in either item 2 or item 3 of the schedule (see Appendix). Three assumptions are apparent: it is assumed the respondent is aware of the physical and mental condition of every member of the household, including himself, the respondent does not willfully withhold information, and all interviewers used the same criteria for determining when to list a person. The evidence indicates that the first two assumptions are reasonable. As mentioned above, interviewers reported an unexpected willingness of respondents to discuss disabilities. Regarding the third assumption, every feasible measure was taken to standardize the enumerating procedure. Interviewers were instructed to describe questionable cases fully, so that the final decision could be made by the project director.

There are two further considerations relevant to definition of a person as having a disability. First, many of the persons who fall into the category of the disabled do so because they have a condition which is defined by the Vocational Rehabilitation Administration as a disability but which they themselves do not define as a disability. The severity of conditions so defined varies greatly. But severity is no guarantee of acceptance of disabled status.

A successful house painter with only one arm insisted that his condition is not a disability. This raises the second consideration, which is that many persons who have conditions which are classified officially as disabilities are gainfully employed and have not lost any time from work because of their conditions. This suggests that one of the most important estimates provided below is that of the number of persons with disabilities who are in their productive years but unemployed.

A primary question in interpreting any statistical report is that of the confidence with which one may accept the estimates. In the language of the statistician, this is the question of confidence limits. Although time did not allow the computation of the confidence limits for all estimates, the limits for the estimate of the proportion of persons in Oklahoma who have a physical or mental disability are provided as follows: From the sample, it is estimated that 17.1 per cent of the population has some physical or mental disability. Using the formula given by Cochran[1], it was determined that one can be reasonably confident that 95 times out of 100 the true value of the proportion lies within .9 per cent above or below the estimate, that is, between 16.2 per cent and 18 per cent.

---

[1] William G. Cochran, Sampling Techniques (New York: John Wiley and Sons, Inc., 1953), pp. 39 ff.

The reader will note a large number of blank spaces in the cross classifications of populations in the separate Vocational Rehabilitation Planning Areas. These occur because the sample in many cases was not large enough to provide estimates of persons in every category. Here, the estimates are less reliable, but the reader should bear in mind that the estimates within age, sex, residence, and race categories represent the actual location of cases in a fairly large sample.

In some cases, the figures in rows and columns to not add to the total which is presented for the row or column. This is because the estimating procedure involved fractions and the computer rounded numbers but did not correct totals for rounding.

A particular qualification is in order in the interpretation of the attitudinal data. The responses do not come from a cross-section of Oklahoma residents, but rather represent the attitudes of adults who are found at home mainly during ordinary daytime working hours. In this category, women and older persons are over-represented.

Projections of the population having disabilities in 1970 and 1975 are based on the assumption that the proportion of the total population in each sex, race, residence, and age category, especially within Planning Areas, will remain substantially the same, and that the proportion of persons in each of these categories who have disabilities will be unchanged. It was necessary to make these assumptions because of time limitations. Projections are based on the Oklahoma population projections published by the University of Oklahoma Bureau of Business Research.

TABLE I-A

ESTIMATES OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	222,103	103,340	92,543	10,797	118,763	110,666	8,097
	Female	205,522	111,437	100,255	11,182	94,085	88,301	5,784
Age 0-5	Male	5,013	2,314	1,542	771	2,699	2,314	386
	Female	4,242	2,314	1,542	771	1,928	1,928	-
6-10	Male	12,725	8,483	6,170	2,314	4,242	3,856	386
	Female	4,242	2,314	2,314	-	1,928	1,928	-
11-15	Male	9,254	4,242	4,242	-	5,013	4,627	386
	Female	10,797	5,398	4,242	1,157	5,398	5,013	386
16-20	Male	15,038	6,170	6,170	-	8,869	8,869	-
	Female	8,869	5,784	5,784	-	3,085	2,699	386
21-30	Male	14,267	7,712	7,326	386	6,555	6,555	-
	Female	12,339	8,869	8,869	-	3,470	3,470	-
31-40	Male	20,437	8,483	8,097	386	11,953	11,568	386
	Female	17,352	10,025	8,869	1,157	7,326	7,326	-
41-50	Male	36,632	18,509	16,195	2,314	18,123	16,966	1,157
	Female	30,076	18,123	16,580	1,542	11,953	11,568	386
51-64	Male	57,068	22,365	20,822	1,542	34,704	32,390	2,314
	Female	61,310	27,763	24,678	3,085	33,547	30,462	3,085
65 +	Male	51,670	25,064	21,979	3,085	26,606	23,521	3,085
	Female	56,297	30,848	27,377	3,470	25,449	23,907	1,542

TABLE I-B

PROJECTIONS OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	**Male**	231,720	107,814	96,550	11,264	123,906	115,458	8,448
	Female	214,221	116,262	104,596	11,666	98,159	92,125	6,034
Age 0-5	**Male**	5,230	2,414	1,609	805	2,816	2,414	402
	Female	4,425	2,414	1,609	805	2,011	2,011	-
6-10	**Male**	13,276	8,850	6,437	2,414	4,425	4,023	402
	Female	4,425	2,414	2,414	-	2,011	2,011	-
11-15	**Male**	9,655	4,425	4,425	-	5,230	4,828	402
	Female	11,264	5,632	4,425	1,207	5,632	5,230	402
16-20	**Male**	15,689	6,437	6,437	-	9,253	9,253	-
	Female	9,253	6,034	6,034	-	3,218	2,816	402
21-30	**Male**	14,885	8,046	7,944	402	6,839	6,839	-
	Female	12,873	9,253	9,253	-	3,621	3,621	-
31-40	**Male**	21,321	8,850	8,448	402	12,471	12,069	402
	Female	18,103	10,460	9,253	1,207	7,644	7,644	-
41-50	**Male**	38,218	19,310	16,896	2,414	18,908	17,701	1,207
	Female	31,379	18,908	17,299	1,609	12,471	12,069	402
51-64	**Male**	59,539	23,333	21,724	1,609	36,206	33,793	2,414
	Female	63,964	28,965	25,747	3,218	34,999	31,781	3,218
65 +	**Male**	53,907	26,149	22,931	3,218	27,758	24,540	3,218
	Female	58,735	32,183	28,563	3,621	26,551	24,942	1,609

TABLE I-C

PROJECTIONS OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	240,550	111,923	100,229	11,693	128,627	119,857	8,770
	Female	222,592	120,693	108,582	12,111	101,900	95,635	6,264
Age 0-5	Male	5,429	2,506	1,670	835	2,923	2,506	418
	Female	4,594	2,506	1,670	835	2,088	2,088	-
6-10	Male	13,782	9,188	6,682	2,506	4,594	4,176	418
	Female	4,594	2,506	2,506	-	2,088	2,088	-
11-15	Male	10,023	4,594	4,594	-	5,429	5,011	418
	Female	11,693	5,847	4,594	1,253	5,846	5,429	418
16-20	Male	16,287	6,682	6,682	-	9,605	9,605	-
	Female	9,605	6,264	6,264	-	3,341	2,923	418
21-30	Male	15,452	8,352	7,935	418	7,100	7,100	-
	Female	13,364	9,605	9,605	-	3,759	3,759	-
31-40	Male	22,134	9,188	8,770	418	12,946	12,529	418
	Female	18,793	10,858	9,605	1,253	7,935	7,935	-
41-50	Male	39,674	20,046	17,540	2,506	19,628	18,375	1,253
	Female	32,574	19,628	17,958	1,670	12,946	12,529	418
51-64	Male	61,808	24,222	22,552	1,670	37,586	35,080	2,506
	Female	66,402	30,069	26,728	3,341	36,333	32,992	3,341
65 +	Male	55,961	27,145	23,804	3,341	28,816	25,475	3,341
	Female	60,973	33,410	29,651	3,759	27,563	25,893	1,670

TABLE II-A

ESTIMATES OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	24,292	25,449	129,560	8,483	13,881	225,959
Urban	15,038	10,411	62,466	2,699	8,097	116,064
Rural	9,254	15,038	67,094	5,784	5,784	109,895
Male	13,110	14,653	70,564	7,326	8,869	107,195
Female	11,182	10,797	58,996	1,157	5,013	118,763
White	22,750	23,907	112,979	8,097	13,110	208,607
Nonwhite	1,542	1,542	16,581	386	771	17,352
0-5	771	-	386	386	771	6,941
6-10	1,542	771	2,699	771	1,542	9,640
11-15	1,157	771	3,085	386	771	13,881
16-20	1,928	386	5,398	386	1,157	14,653
21-30	2,699	386	6,170	386	1,928	15,038
31-40	2,314	1,542	10,797	1,157	2,314	19,665
41-50	3,085	4,242	21,593	1,157	1,157	35,475
51-64	4,627	7,712	41,644	2,314	3,085	58,996
65 +	6,170	9,640	37,788	1,542	1,157	51,670

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE II-B

PROJECTIONS OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	25,344	26,551	135,170	8,850	14,483	235,743
Urban	15,689	10,862	65,171	2,816	8,448	121,090
Rural	9,655	15,689	69,999	6,034	6,034	114,653
Male	13,678	15,287	73,619	7,644	9,253	111,837
Female	11,666	11,264	61,551	1,207	5,230	123,906
White	23,735	24,942	117,871	8,448	13,678	217,640
Nonwhite	1,609	1,609	17,299	402	805	18,103
0-5	805	-	402	402	805	7,241
6-10	1,609	805	2,816	805	1,609	10,057
11-15	1,207	805	3,218	402	805	14,483
16-20	2,011	402	5,632	402	1,207	15,287
21-30	2,816	402	6,437	402	2,011	15,689
31-40	2,414	1,609	11,264	1,207	2,414	20,517
41-50	3,218	4,425	22,528	1,207	1,207	37,011
51-64	4,828	8,046	43,448	2,414	3,218	61,551
65 +	6,437	10,057	39,425	1,609	1,207	53,907

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE II-C

PROJECTIONS OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	26,310	27,563	140,321	9,188	15,034	244,726
Urban	16,287	11,276	67,655	2,923	8,770	125,704
Rural	10,023	16,287	72,666	6,264	6,264	119,022
Male	14,199	15,870	76,425	7,935	9,605	116,099
Female	12,111	11,693	63,896	1,253	5,429	128,627
White	24,640	25,893	122,363	8,770	14,199	225,933
Nonwhite	1,670	1,670	17,958	418	835	18,793
0-5	835	-	418	418	835	7,517
6-10	1,670	835	2,923	835	1,670	10,441
11-15	1,253	835	3,341	418	835	15,034
16-20	2,088	418	5,847	418	1,283	15,870
21-30	2,923	418	6,682	418	2,088	16,287
31-40	2,506	1,670	11,693	1,253	2,506	21,299
41-50	3,341	4,594	23,387	1,253	1,283	38,421
51-64	5,011	8,352	45,103	2,506	3,341	63,896
65 +	6,682	10,441	40,927	1,670	1,253	55,961

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE III

CHARACTERISTICS OF PERSONS HAVING DISABILITIES IN OKLAHOMA AND IN EACH VOCATIONAL REHABILITATION PLANNING AREA, 1967

	Oklahoma	Planning Area			
		1	2	3	4
Totals	441,611	67,895	29,182	25,862	26,965
Employed Full-time	120,614	16,438	7,708	5,778	5,778
Employed Part-time	26,006	5,003	1,652	2,476	-
Ages 16-64 Unemployed	125,378	20,369	6,607	8,254	3,852
Ages 16-64 Median School Years Completed	11.5	12	7	10	8
Employed when Disability occured	159,257	24,299	12,664	10,730	9,630
Have talked with VR Counselor	31,918	9,291	1,101	2,751	1,926
Willing to Leave Home for Services or Training	67,364	11,792	1,652	6,603	3,852
Willing to Leave Home for Employment	66,128	9,648	2,753	6,328	3,852
Willing to Utilize Services of a Sheltered Workshop	40,342	5,717	2,202	4,952	-
Currently Receiving Services through Vocational Rehabilitation Facilities	2,427	1,787	-	-	-

TABLE III (CONTINUED)

CHARACTERISTICS OF PERSONS HAVING DISABILITIES IN OKLAHOMA AND IN EACH VOCATIONAL REHABILITATION PLANNING AREA, 1967

	Planning Area		
	5	6	7
Totals	31,169	39,623	33,645
Employed Full-time	9,148	12,143	10,835
Employed Part-time	2,033	1,278	2,566
Ages 16-64 Unemployed	9,825	10,225	9,979
Ages 16-64 Median School Years Completed	9.5	9.5	12
Employed when Disability occured	12,197	16,616	15,112
Have talked with VR Counselor	1,694	1,278	855
Willing to Leave Home for Services or Training	2,372	1,917	11,120
Willing to Leave Home for Employment	2,372	2,556	11,120
Willing to Utilize Services of a Sheltered Workshop	1,694	3,834	3,707
Currently Receiving Services through Vocational Rehabilitation Facilities	-	-	-

TABLE III (CONTINUED)

CHARACTERISTICS OF PERSONS HAVING DISABILITIES IN OKLAHOMA AND IN EACH VOCATIONAL REHABILITATION PLANNING AREA, 1967

	Planning Area		
	8	9	10
Totals	13,708	16,172	160,392
Employed Full-time	3,247	3,067	46,472
Employed Part-time	1,804	558	8,636
Ages 16-64 Unemployed	3,968	4,182	48,117
Ages 16-64 Median School Years Completed	11.5	11	12
Employed when Disability occured	4,329	4,740	48,940
Have talked with VR Counselor	1,082	836	11,104
Willing to Leave Home for Services or Training	1,443	1,115	25,498
Willing to Leave Home for Employment	1,443	558	25,498
Willing to Utilize Services of a Sheltered Workshop	1,082	1,115	16,039
Currently Receiving Services through Vocational Rehabilitation Facilities	361	279	-

TABLE IV

ESTIMATES OF NUMBERS OF PERSONS IN OKLAHOMA WHO HAVE SPENT TIME IN MENTAL HOSPITALS OR CORRECTIONAL INSTITUTIONS

	The State	Planning area									
		1	2	3	4	5	6	7	8	9	10
Mental Hospitals	15,383	1,428	-	1,925	1,926	1,017	-	755	361	1,395	6,576
Correctional Institutions	4,809	357	-	825	-	339	-	-	-	-	3,288

TABLE V

ATTITUDES OF RESPONDENTS TOWARD MENTAL HOSPITALS

		Number	Per Cent
Believe Mental Hospitals Primarily	Custodial	186	11.5
	Treatment	1,423	88.5
Believe Proportion Remitted is	Less than 1/4	489	26.8
	Between 1/4 and 1/2	817	44.8
	Between 1/2 and 3/4	429	23.5
	More than 3/4	88	4.9

TABLE VI

ATTITUDES OF RESPONDENTS TOWARD FORMER INMATES OF MENTAL HOSPITALS AND PRISONS

		Number	Per Cent
Reactions to working near a former mental hospital patient	Neutral	1,331	68.5
	Some misgivings	315	16.2
	Somewhat uneasy	252	13.0
	Very uneasy	46	2.3
Reactions to working near a former prison inmate	Neutral	1,041	53.9
	Some misgivings	473	24.5
	Somewhat uneasy	322	16.6
	Very uneasy	97	5.0

TABLE VII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	**Male**	36,806	16,080	14,651	1,429	20,726	18,582	2,144
	Female	29,302	16,795	14,294	2,501	12,507	11,435	1,072
Age 0-5	**Male**	1,429	715	715	-	715	357	357
	Female	715	357	357	-	357	357	-
6-10	**Male**	2,144	1,787	-	357	357	-	357
	Female	357	357	357	-	-	-	-
11-15	**Male**	2,144	715	715	-	1,429	1,429	-
	Female	1,787	715	715	-	1,072	1,072	-
16-20	**Male**	3,573	1,787	1,787	-	1,787	1,787	-
	Female	1,787	1,429	1,429	-	357	357	-
21-30	**Male**	3,931	1,787	1,787	-	2,144	2,144	-
	Female	1,429	357	357	-	1,072	1,072	-
31-40	**Male**	2,501	357	357	-	2,144	2,144	-
	Female	2,501	1,787	1,429	357	715	715	-
41-50	**Male**	6,075	3,931	3,216	715	2,144	1,429	715
	Female	4,646	2,859	1,787	1,072	1,787	1,429	357
51-64	**Male**	7,147	1,787	1,787	-	5,360	5,003	357
	Female	7,862	3,931	3,931	-	3,931	3,573	357
65 +	**Male**	7,862	3,216	2,859	357	4,645	4,288	357
	Female	8,219	5,003	3,931	1,072	3,216	2,859	357

TABLE VII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	47,632	20,810	18,960	1,850	26,822	24,047	2,775
	Female	37,921	21,735	18,498	3,237	16,186	14,798	1,387
Age 0-5	Male	1,850	925	925	-	925	462	462
	Female	925	462	462	-	462	462	-
6-10	Male	2,775	2,312	1,850	462	462	-	462
	Female	462	462	462	-	-	-	-
11-15	Male	2,775	925	925	-	1,850	1,850	-
	Female	2,312	925	925	-	1,387	1,387	-
16-20	Male	4,624	2,312	2,312	-	2,312	2,312	-
	Female	2,312	1,850	1,850	-	462	462	-
21-30	Male	5,087	2,312	2,312	-	2,775	2,775	-
	Female	1,850	462	462	-	1,387	1,387	-
31-40	Male	3,237	462	462	-	2,775	2,775	-
	Female	3,237	2,312	1,850	462	925	925	-
41-50	Male	7,862	5,087	4,162	925	2,775	1,850	925
	Female	6,012	3,700	2,312	1,387	2,312	1,850	462
51-64	Male	9,249	2,312	2,312	-	6,937	6,474	462
	Female	10,174	5,087	5,087	-	5,087	4,624	462
65 +	Male	10,174	4,162	3,700	462	6,012	5,549	462
	Female	10,636	6,474	5,087	1,387	4,162	3,700	462

TABLE VII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	50,667	22,136	20,169	1,968	28,531	25,580	2,951
	Female	40,337	23,120	19,677	3,443	17,217	15,741	1,476
Age 0-5	Male	1,968	984	984	-	984	492	492
	Female	984	492	492	-	492	492	-
6-10	Male	2,951	2,460	1,968	492	492	-	492
	Female	492	492	492	-	-	-	-
11-15	Male	2,951	984	984	-	1,968	1,968	-
	Female	2,460	984	984	-	1,476	1,476	-
16-20	Male	4,919	2,460	2,460	-	2,460	2,460	-
	Female	2,460	1,968	1,968	-	492	492	-
21-30	Male	5,411	2,460	2,460	-	2,951	2,951	-
	Female	1,968	492	492	-	1,476	1,476	-
31-40	Male	3,443	492	492	-	2,951	2,951	-
	Female	3,443	2,460	1,968	492	984	984	-
41-50	Male	8,363	5,411	4,427	984	2,951	1,968	984
	Female	6,395	3,935	2,460	1,476	2,460	1,968	492
51-64	Male	9,838	2,460	2,460	-	7,379	6,887	492
	Female	10,822	5,411	5,411	-	5,411	4,919	492
65 +	Male	10,822	4,427	3,935	492	6,395	5,903	492
	Female	11,314	6,887	5,411	1,476	4,427	3,935	492

TABLE VIII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	**Mental or Personality** Disorders	**Other Conditions***
Totals	3,216	4,645	19,654	1,429	2,501	39,665
Urban	1,429	1,072	11,435	357	715	21,441
Rural	1,787	3,573	8,219	1,072	1,787	18,225
Male	1,787	2,501	12,150	1,429	1,787	19,654
Female	1,429	2,144	7,504	-	715	20,011
White	3,216	4,288	16,080	1,429	2,501	35,734
Nonwhite	-	357	3,573	-	-	3,931
0-5	-	-	715	-	357	1,429
6-10	-	-	357	-	357	1,787
11-15	357	357	1,072	-	-	2,144
16-20	357	-	1,429	-	357	3,216
21-30	715	357	1,787	357	357	2,144
31-40	-	-	1,429	-	357	3,573
41-50	357	715	3,931	357	357	7,504
51-64	357	1,787	4,288	715	-	7,862
65 +	1,072	1,429	4,645	-	357	10,006

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE VIII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	**Hearing Defects**	**Functional Impairments**	**Absence of Limb or Amputations**	**Mental or Personality Disorders**	**Other Conditions***
Totals	4,162	6,012	25,435	1,850	3,237	51,332
Urban	1,850	1,387	14,798	462	925	27,767
Rural	2,312	4,624	10,636	1,387	2,312	23,585
Male	2,312	3,237	15,723	1,850	2,312	25,435
Female	1,850	2,775	9,711	-	925	25,897
White	4,162	5,549	20,810	1,850	3,237	46,245
Nonwhite	-	462	4,624	-	-	5,087
0-5	-	-	925	-	462	1,850
6-10	-	-	462	-	462	2,312
11-15	462	462	1,387	-	-	2,775
16-20	462	-	1,850	-	462	4,162
21-30	925	462	2,312	462	462	2,775
31-40	-	-	1,850	-	462	4,624
41-50	462	925	5,087	462	462	9,711
51-64	462	2,312	5,544	925	-	10,174
65 +	1,387	1,850	6,012	-	462	12,949

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE VIII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 1 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	4,427	6,395	27,055	1,968	3,443	54,603
Urban	1,968	1,476	15,741	492	984	29,515
Rural	2,460	4,919	11,314	1,476	2,460	25,088
Male	2,460	3,443	16,725	1,968	2,460	27,055
Female	1,968	2,951	10,330	-	984	27,547
White	4,427	5,903	22,136	1,968	3,443	49,191
Nonwhite	-	492	4,919	-	-	5,411
0-5	-	-	984	-	492	1,968
6-10	-	-	492	-	492	2,460
11-15	492	492	1,476	-	-	2,951
16-20	492	-	1,968	-	492	4,427
21-30	984	492	2,460	492	492	2,951
31-40	-	-	1,968	-	492	4,919
41-50	492	984	5,411	492	492	10,330
51-64	492	2,460	5,903	984	-	10,822
65 +	1,476	1,968	6,395	-	492	13,774

***Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.**

TABLE IX-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	17,069	9,360	6,056	3,304	7,708	4,955	2,753
	Female	12,113	6,057	4,405	1,652	6,057	4,955	1,101
Age 0-5	Male	551	551	-	551	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	1,101	1,101	-	1,101	-	-	-
	Female	551	551	551	-	-	-	-
11-15	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
16-20	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
21-30	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
31-40	Male	1,101	-	-	-	1,101	551	551
	Female	1,101	1,101	1,101	-	-	-	-
41-50	Male	3,854	2,753	2,202	551	1,101	1,101	-
	Female	1,101	1,101	1,101	-	-	-	-
51-64	Male	5,506	2,753	2,202	551	2,753	1,652	1,101
	Female	4,405	1,101	-	1,101	3,304	2,753	551
65 +	Male	4,955	2,202	1,652	551	2,753	1,652	1,101
	Female	4,955	2,202	1,652	551	2,753	2,202	551

TABLE IX-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	16,948	9,294	6,014	3,280	7,654	4,920	2,734
	Female	12,028	6,014	4,374	1,640	6,014	4,920	1,093
Age 0-5	Male	547	547	-	547	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	1,093	1,093	-	1,093	-	-	-
	Female	547	547	547	-	-	-	-
11-15	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
16-20	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
21-30	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
31-40	Male	1,093	-	-	-	1,093	547	547
	Female	1,093	1,093	1,093	-	-	-	-
41-50	Male	3,827	2,734	2,187	547	1,093	1,093	-
	Female	1,093	1,093	1,093	-	-	-	-
51-64	Male	5,467	2,734	2,187	547	2,734	1,640	1,093
	Female	4,734	1,093	-	1,093	3,280	2,734	547
65 +	Male	4,920	2,187	1,640	547	2,734	1,640	1,093
	Female	4,920	2,187	1,640	547	2,734	2,187	547

TABLE IX-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	**Male**	16,682	9,148	5,919	3,229	7,534	4,843	2,691
	Female	11,839	5,919	4,305	1,614	5,919	4,843	1,076
Age 0-5	**Male**	538	538	-	538	-	-	-
	Female	-	-	-	-	-	-	-
6-10	**Male**	1,076	1,076	-	1,076	-	-	-
	Female	538	538	538	-	-	-	-
11-15	**Male**	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
16-20	**Male**	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
21-30	**Male**	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
31-40	**Male**	1,076	-	-	-	1,076	538	538
	Female	1,076	1,076	1,076	-	-	-	-
41-50	**Male**	3,767	2,691	2,152	538	1,076	1,076	-
	Female	1,076	1,076	1,076	-	-	-	-
51-64	**Male**	5,381	2,691	2,152	538	2,691	1,614	1,076
	Female	4,305	1,076	-	1,076	3,229	2,691	538
65 +	**Male**	4,843	2,152	1,614	538	2,691	1,614	1,076
	Female	4,843	2,152	1,614	538	2,691	2,152	538

TABLE X-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	551	3,304	8,259	551	1,101	18,720
Urban	551	551	4,955	551	1,101	9,360
Rural	-	2,753	3,304	-	-	9,360
Male	551	1,652	4,955	551	1,101	9,911
Female	-	1,652	3,304	-	-	8,810
White	551	3,304	4,955	551	-	14,316
Nonwhite	-	3,304	3,304	-	1,101	4,405
0-5	-	-	-	-	-	551
6-10	-	-	-	-	1,101	551
11-15	-	-	-	-	-	-
16-20	-	-	-	-	-	-
21-30	-	-	-	-	-	1,101
31-40	-	551	551	-	-	4,405
41-50	-	-	551	-	-	5,506
51-64	-	1,652	3,854	551	-	6,607
65 +	551	1,101	3,304	-	-	

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE X-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	547	3,280	8,201	547	1,094	18,588
Urban	547	547	4,920	547	1,094	9,294
Rural	-	2,734	3,280	-	-	9,294
Male	547	1,640	4,920	547	1,094	9,841
Female	-	1,640	3,280	-	-	8,747
White	547	3,280	4,920	547	-	14,215
Nonwhite	-	3,280	3,280	-	1,094	4,374
0-5	-	-	-	-	-	547
6-10	-	-	-	-	1,094	547
11-15	-	-	-	-	-	-
16-20	-	-	-	-	-	-
21-30	-	-	-	-	-	-
31-40	-	547	547	-	-	1,094
41-50	-	-	547	-	-	4,374
51-64	-	1,640	-	547	-	5,467
65 +	547	1,094	-	-	-	6,561

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE X-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 2 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	538	3,229	8,072	538	1,076	18,296
Urban	538	538	4,843	538	1,076	9,148
Rural	-	2,691	3,229	-	-	9,148
Male	538	1,614	4,843	538	1,076	9,686
Female	-	1,614	3,229	-	-	8,610
White	538	3,229	4,843	538	-	13,991
Nonwhite	-	3,229	3,229	-	1,076	4,305
0-5	-	-	-	-	-	538
6-10	-	-	-	-	1,076	538
11-15	-	-	-	-	-	-
16-20	-	-	-	-	-	-
21-30	-	-	-	-	-	-
31-40	-	538	538	-	-	1,076
41-50	-	-	538	-	-	4,305
51-64	-	1,614	3,767	538	-	5,381
65 +	538	1,076	3,229	-	-	6,457

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XI-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	14,582	3,577	3,302	275	11,005	10,730	275
	Female	11,280	5,227	3,577	1,651	6,052	6,052	-
Age 0-5	Male	550	-	-	-	275	275	-
	Female	550	550	-	550	-	-	-
6-10	Male	550	550	550	-	-	-	-
	Female	275	-	-	-	275	275	-
11-15	Male	550	-	-	-	550	550	-
	Female	275	275	-	275	-	-	-
16-20	Male	-	-	-	-	-	-	-
	Female	550	-	-	-	550	550	-
21-30	Male	1,100	275	275	-	825	825	-
	Female	275	275	275	-	-	-	-
31-40	Male	2,201	550	550	-	1,651	1,651	-
	Female	1,376	825	550	275	550	550	-
41-50	Male	2,201	275	275	-	1,926	1,926	-
	Female	550	-	-	-	550	550	-
51-64	Male	3,302	550	550	-	2,751	2,476	275
	Female	4,127	1,650	1,101	550	2,476	2,476	-
65 +	Male	4,402	1,376	1,101	275	3,026	3,026	-
	Female	3,301	1,651	1,651	-	1,651	1,651	-

TABLE XI-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	11,951	2,931	2,706	225	9,019	8,794	225
	Female	9,245	4,284	2,931	1,353	4,961	4,961	-
Age 0-5	Male	451	-	-	-	225	225	-
	Female	451	451	-	451	-	-	-
6-10	Male	451	451	451	-	-	-	-
	Female	225	-	-	-	225	225	-
11-15	Male	451	-	-	-	451	451	-
	Female	225	225	-	225	-	-	-
16-20	Male	-	-	-	-	-	-	-
	Female	451	-	-	-	451	451	-
21-30	Male	902	225	225	-	676	676	-
	Female	225	225	225	-	-	-	-
31-40	Male	1,804	451	451	-	1,353	1,353	-
	Female	1,127	676	451	225	451	451	-
41-50	Male	1,804	225	225	-	1,578	1,578	-
	Female	451	-	-	-	451	451	-
51-64	Male	2,706	451	451	-	2,255	2,029	225
	Female	3,382	1,353	902	451	2,029	2,029	-
65 +	Male	3,608	1,127	902	225	2,480	2,480	-
	Female	2,706	1,353	1,353	-	1,353	1,353	-

TABLE XI-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	12,150	2,980	2,751	229	9,170	8,940	229
	Female	9,399	4,356	2,980	1,375	5,043	5,043	-
Age 0-5	Male	458	-	-	-	229	229	-
	Female	458	458	-	458	-	-	-
6-10	Male	458	458	458	-	-	-	-
	Female	229	-	-	-	229	229	-
11-15	Male	458	-	-	-	458	458	-
	Female	229	229	-	229	-	-	-
16-20	Male	-	-	-	-	-	-	-
	Female	458	-	-	-	458	458	-
21-30	Male	917	229	229	-	688	688	-
	Female	229	229	229	-	-	-	-
31-40	Male	1,834	458	458	-	1,375	1,375	-
	Female	1,146	688	458	229	458	458	-
41-50	Male	1,834	229	229	-	1,605	1,605	-
	Female	458	-	-	-	458	458	-
51-64	Male	2,751	458	458	-	2,292	2,063	229
	Female	3,439	1,375	917	458	2,063	2,063	-
65 +	Male	3,668	1,146	917	229	2,522	2,522	-
	Female	2,751	1,375	1,375	-	1,375	1,375	-

TABLE XII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	550	2,201	10,730	550	1,101	11,005
Urban	275	275	3,026	275	825	4,127
Rural	275	1,926	7,704	275	275	6,878
Male	550	1,376	5,227	275	825	6,328
Female	-	825	5,503	275	275	4,677
White	550	2,201	9,620	550	1,101	9,905
Nonwhite	-	-	1,101	-	-	1,101
0-5	-	-	-	-	-	825
6-10	-	-	-	-	275	550
11-15	-	-	275	-	-	550
16-20	-	-	-	-	275	275
21-30	-	-	275	-	275	825
31-40	-	550	1,101	-	275	1,651
41-50	-	275	1,101	-	-	1,376
51-64	275	825	3,852	275	-	2,476
65 +	275	550	4,127	275	-	2,476

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	451	1,804	8,794	451	902	9,019
Urban	225	225	2,480	225	676	3,382
Rural	225	1,578	6,314	225	225	5,637
Male	451	1,127	4,284	225	676	5,186
Female	-	676	4,510	225	225	3,833
White	451	1,804	7,892	451	902	8,117
Nonwhite	-	-	902	-	-	902
0-5	-	-	-	-	-	676
6-10	-	-	-	-	225	451
11-15	-	-	225	-	-	451
16-20	-	-	-	-	225	225
21-30	-	-	225	-	225	676
31-40	-	451	902	-	225	1,353
41-50	-	225	902	-	-	1,127
51-64	225	676	3,157	225	-	2,029
65 +	225	451	3,382	225	-	2,029

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 3 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	458	1,834	8,940	458	917	9,170
Urban	229	229	2,522	229	688	3,439
Rural	229	1,605	6,419	229	229	5,731
Male	458	1,146	4,356	229	688	5,272
Female	-	688	4,585	229	229	3,897
White	458	1,834	8,023	458	917	8,253
Nonwhite	-	-	917	-	-	917
0-5	-	-	-	-	-	688
6-10	-	-	-	-	229	458
11-15	-	-	229	-	-	458
16-20	-	-	-	-	229	229
21-30	-	-	229	-	229	688
31-40	-	458	917	-	229	1,375
41-50	-	229	917	-	-	1,146
51-64	229	688	3,209	229	-	2,063
65 +	229	458	3,439	229	-	2,063

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XIII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 4 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	**Male**	13,482	-	-	-	13,482	13,482	-
	Female	11,556	-	-	-	11,556	9,630	1,926
Age 0-5	**Male**	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
6-10	**Male**	1,926	-	-	-	1,926	1,926	-
	Female	-	-	-	-	-	-	-
11-15	**Male**	-	-	-	-	-	-	-
	Female	1,926	-	-	-	1,926	-	1,926
16-20	**Male**	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
21-30	**Male**	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
31-40	**Male**	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
41-50	**Male**	1,926	-	-	-	1,926	1,926	-
	Female	1,926	-	-	-	1,926	1,926	-
51-64	**Male**	5,778	-	-	-	5,778	5,778	-
	Female	3,852	-	-	-	3,852	3,852	-
65 +	**Male**	3,852	-	-	-	3,852	3,852	-
	Female	3,852	-	-	-	3,852	3,852	-

TABLE XIII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 4 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	12,239	-	-	-	12,239	12,239	-
	Female	10,491	-	-	-	10,491	8,742	1,748
Age 0-5	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	1,748	-	-	-	1,748	1,748	-
	Female	-	-	-	-	-	-	-
11-15	Male	-	-	-	-	-	-	-
	Female	1,748	-	-	-	1,748	-	1,748
16-20	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
21-30	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
31-40	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
41-50	Male	1,748	-	-	-	1,748	1,748	-
	Female	1,748	-	-	-	1,748	1,748	-
51-64	Male	5,245	-	-	-	5,245	5,245	-
	Female	3,497	-	-	-	3,497	3,497	-
65 +	Male	3,497	-	-	-	-	-	-
	Female	3,497	-	-	-	3,497	3,497	-

TABLE XIII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 4 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	11,979	-	-	-	11,979	11,979	-
	Female	10,268	-	-	-	10,268	8,557	1,711
Age 0-5	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	1,711	-	-	-	1,711	1,711	-
	Female	-	-	-	-	-	-	-
11-15	Male	1,711	-	-	-	-	-	-
	Female	-	-	-	-	1,711	-	1,711
16-20	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
21-30	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
31-40	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
41-50	Male	1,711	-	-	-	1,711	1,711	-
	Female	1,711	-	-	-	1,711	1,711	-
51-64	Male	5,133	-	-	-	5,133	5.133	-
	Female	3,423	-	-	-	3,423	3,423	-
65 +	Male	3,423	-	-	-	3,423	3,423	-
	Female	3,423	-	-	-	3,423	3,423	-

TABLE XIV-A

ESTIMATES OF NUMBERS OF PERSONS IN OKLAHOMA HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	**Mental or** Personality Disorders	**Other** Conditions*
Totals	-	1,926	5,778	1,926	1,926	15,408
Urban	-	-	-	-	-	-
Rural	-	1,926	5,778	1,926	1,926	15,408
Male	-	-	3,852	1,926	1,926	5,778
Female	-	1,926	1,926	-	-	9,630
White	-	1,926	3,852	1,926	1,926	13,482
Nonwhite	-	-	-	-	-	1,926
0-5	-	-	-	-	-	-
6-10	-	-	-	-	-	1,926
11-15	-	-	-	-	-	1,926
16-20	-	-	-	-	-	-
21-30	-	-	-	-	-	-
31-40	-	-	-	-	-	-
41-50	-	-	-	-	1,926	1,926
51-64	-	-	3,852	-	-	7,704
65 +	-	1,926	1,926	1,926	-	1,926

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XIV-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 4 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	-	1,748	5,245	1,748	1,748	13,988
Urban	-	-	-	-	-	-
Rural	-	1,748	5,245	1,748	1,748	13,988
Male	-	-	3,497	1,748	1,748	5,245
Female	-	1,748	1,748	-	-	8,742
White	-	1,748	5,245	1,748	1,748	12,239
Nonwhite	-	-	-	-	-	1,748
0-5	-	-	-	-	-	-
6-10	-	-	-	-	-	1,748
11-15	-	-	-	-	-	1,748
16-20	-	-	-	-	-	-
21-30	-	-	-	-	-	-
31-40	-	-	-	-	-	-
41-50	-	-	-	-	1,748	1,748
51-64	-	-	3,497	-	-	6,994
65 +	-	1,748	1,748	1,748	-	1,748

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XIV-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 4 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	-	1,711	5,134	1,711	1,711	13,691
Urban	-	-	-	-	-	-
Rural	-	1,711	5,134	1,711	1,711	13,691
Male	-	-	3,423	1,711	1,711	5,134
Female	-	1,711	1,711	-	-	8,557
White	-	1,711	5,134	1,711	1,711	11,979
Nonwhite	-	-	-	-	-	1,711
0-5	-	-	-	-	-	-
6-10	-	-	-	-	-	1,711
11-15	-	-	-	-	-	1,711
16-20	-	-	-	-	-	-
21-30	-	-	-	-	-	-
31-40	-	-	-	-	-	-
41-50	-	-	-	-	1,711	1,711
51-64	-	-	3,423	-	-	6,845
65 +	-	1,711	1,711	1,711	-	1,711

***Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.**

TABLE XV-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	15,246	3,049	3,049	-	12,197	12,197	-
	Female	15,923	2,033	2,033	-	13,891	13,213	697
Age 0-5	Male	-	-	-	-	-	-	-
	Female	339	-	-	-	339	339	-
6-10	Male	1,016	339	339	-	677	677	-
	Female	-	-	-	-	-	-	-
11-15	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
16-20	Male	677	-	-	-	677	677	-
	Female	677	-	-	-	677	677	-
21-30	Male	677	339	339	-	339	339	-
	Female	677	-	-	-	677	677	-
31-40	Male	1,355	339	339	-	1,016	1,016	-
	Female	677	339	339	-	339	339	-
41-50	Male	2,371	677	677	-	1,694	1,694	-
	Female	3,388	339	339	-	3,049	3,049	-
51-64	Male	6,776	677	677	-	6,098	6,098	-
	Female	5,760	677	677	-	5,082	4,743	337
65 +	Male	2,371	677	677	-	1,694	1,694	-
	Female	4,404	677	677	-	3,727	3,388	337

TABLE XV-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	12,888	2,578	2,578	-	10,311	10,311	-
	Female	13,461	1,718	1,718	-	11,743	11,170	573
Age 0-5	Male	-	-	-	-	-	-	-
	Female	286	-	-	-	286	286	-
6-10	Male	859	286	286	-	573	573	-
	Female	-	-	-	-	-	-	-
11-15	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
16-20	Male	573	-	-	-	573	573	-
	Female	573	-	-	-	573	573	-
21-30	Male	573	286	286	-	286	286	-
	Female	573	-	-	-	573	573	-
31-40	Male	1,146	286	286	-	859	859	-
	Female	573	286	286	-	286	286	-
41-50	Male	2,005	573	573	-	1,432	1,432	-
	Female	2,864	286	286	-	2,578	2,578	-
51-64	Male	5,728	573	573	-	5,155	5,155	-
	Female	4,869	573	573	-	4,296	4,010	286
65 +	Male	2,005	573	573	-	1,432	1,432	-
	Female	3,723	573	573	-	3,151	2,864	286

TABLE XV-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	**Urban**			**Rural**		
			Total Urban	**White**	**Non-white**	**Total Rural**	**White**	**Non-white**
Totals	**Male**	12,946	2,589	2,589	-	10,356	10,356	-
	Female	13,521	1,726	1,726	-	11,795	11,219	575
Age 0-5	**Male**	-	-	-	-	-	-	-
	Female	288	-	-	-	286	286	-
6-10	**Male**	863	286	286	-	575	575	-
	Female	-	-	-	-	-	-	-
11-15	**Male**	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
16-20	**Male**	575	-	-	-	575	575	-
	Female	575	-	-	-	575	575	-
21-30	**Male**	575	286	286	-	286	286	-
	Female	575	-	-	-	575	575	-
31-40	**Male**	1,151	286	286	-	863	863	-
	Female	575	286	286	-	286	286	-
41-50	**Male**	2,014	575	575	-	1,438	1,438	-
	Female	2,877	286	286	-	2,589	2,589	-
51-64	**Male**	5,754	575	575	-	5,178	5,178	-
	Female	4,891	575	575	-	4,315	4,028	286
65 +	**Male**	2,014	575	575	-	1,438	1,438	-
	Female	3,740	575	575	-	3,164	2,877	286

TABLE XVI-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	1,016	1,016	11,858	339	678	18,295
Urban	-	339	1,694	-	-	3,727
Rural	1,016	678	10,164	339	678	14,568
Male	339	678	6,098	339	339	9,486
Female	678	339	5,760	-	339	8,809
White	1,016	1,016	11,180	339	678	18,295
Nonwhite	-	-	678	-	-	-
0-5	-	-	-	-	-	339
6-10	339	-	-	-	-	678
11-15	-	-	-	-	-	-
16-20	-	-	339	-	-	1,016
21-30	-	-	-	-	-	1,355
31-40	-	-	678	339	-	1,016
41-50	339	678	2,033	-	-	3,727
51-64	339	339	5,421	-	678	6,098
65 +	-	-	3,388	-	-	4,066

***Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.**

TABLE XVI-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	859	859	10,024	286	573	15,466
Urban	-	286	1,432	-	-	3,151
Rural	859	573	8,592	286	573	12,316
Male	286	573	5,155	286	286	8,019
Female	573	286	4,869	-	286	7,447
White	859	859	9,452	286	573	15,466
Nonwhite	-	-	573	-	-	-
0-5	-	-	-	-	-	286
6-10	286	-	-	-	-	573
11-15	-	-	-	-	-	-
16-20	-	-	286	-	-	859
21-30	-	-	-	-	-	1,146
31-40	-	-	573	286	-	859
41-50	286	573	1,718	-	-	3,151
51-64	286	286	4,583	-	573	5,155
65 +	-	-	2,864	-	-	3,437

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XVI-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 5 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	**Hearing Defects**	**Functional Impairments**	**Absence of Limb or Amputations**	**Mental or Personality Disorders**	**Other Conditions***
Totals	863	863	10,069	288	575	15,535
Urban	-	288	1,438	-	-	3,164
Rural	863	575	8,630	288	575	12,370
Male	288	575	5,178	288	288	8,055
Female	575	288	4,891	-	288	7,480
White	863	863	9,493	288	575	15,535
Nonwhite	-	-	575	-	-	-
0-5	-	-	-	-	-	288
6-10	288	-	-	-	-	575
11-15	-	-	-	-	-	-
16-20	-	-	288	-	-	863
21-30	-	-	-	-	-	1,151
31-40	-	-	575	288	-	863
41-50	288	575	1,726	-	-	3,164
51-64	288	288	4,603	-	575	5,178
65 +	-	-	2,877	-	-	3,452

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XVII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	23,646	12,143	9,586	2,556	11,503	10,864	639
	Female	15,977	7,669	6,391	1,278	8,308	7,669	639
Age 0-5	Male	639	639	-	639	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	1,278	1,278	-	1,278	-	-	-
	Female	-	-	-	-	-	-	-
11-15	Male	639	-	-	-	639	639	-
	Female	-	-	-	-	-	-	-
16-20	Male	2,556	639	639	-	1,917	1,917	-
	Female	-	-	-	-	-	-	-
21-30	Male	1,278	1,278	1,278	-	-	-	-
	Female	639	639	639	-	-	-	-
31-40	Male	1,278	-	-	-	1,278	1,278	-
	Female	-	-	-	-	-	-	-
41-50	Male	3,834	2,556	2,556	-	1,278	1,278	-
	Female	3,195	2,556	2,556	-	639	639	-
51-64	Male	6,391	1,917	1,278	639	4,474	4,474	-
	Female	5,752	-	-	-	5,752	5,752	-
65 +	Male	5,752	3,834	3,834	-	1,917	1,278	639
	Female	6,391	4,474	3,195	1,278	1,917	1,278	639

TABLE XVII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	27,925	14,340	11,321	3,019	13,585	12,830	755
	Female	18,868	9,057	7,547	1,509	9,811	9,057	755
Age 0-5	Male	755	755	-	755	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	1,509	1,509	-	1,509	-	-	-
	Female	-	-	-	-	-	-	-
11-15	Male	755	-	-	-	755	755	-
	Female	-	-	-	-	-	-	-
16-20	Male	3,019	755	755	-	2,264	2,264	-
	Female	-	-	-	-	-	-	-
21-30	Male	1,509	1,509	1,509	-	-	-	-
	Female	755	755	755	-	-	-	-
31-40	Male	1,509	-	-	-	1,509	1,509	-
	Female	-	-	-	-	-	-	-
41-50	Male	4,528	3,019	3,019	-	1,509	1,509	-
	Female	3,774	3,019	3,019	-	755	755	-
51-64	Male	7,547	2,264	1,509	755	5,283	5,283	-
	Female	6,793	-	-	-	6,793	6,793	-
65 +	Male	6,793	4,528	4,528	-	2,264	1,509	755
	Female	7,547	5,283	3,774	1,509	2,264	1,509	755

TABLE XVII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	**Male**	28,404	14,586	11,515	3,071	13,818	13,051	768
	Female	19,192	9,212	7,677	1,535	9,980	9,212	768
Age 0-5	**Male**	768	768	-	768	-	-	-
	Female	-	-	-	-	-	-	-
6-10	**Male**	1,535	1,535	-	1,535	-	-	-
	Female	-	-	-	-	-	-	-
11-15	**Male**	768	-	-	-	768	768	-
	Female	-	-	-	-	-	-	-
16-20	**Male**	3,071	768	768	-	2,303	2,303	-
	Female	-	-	-	-	-	-	-
21-30	**Male**	1,535	1,538	1,535	-	-	-	-
	Female	768	768	768	-	-	-	-
31-40	**Male**	1,535	-	-	-	1,535	1,535	-
	Female	-	-	-	-	-	-	-
41-50	**Male**	4,606	3,071	3,071	-	1,535	1,535	-
	Female	3,838	3,071	3,071	-	768	768	-
51-64	**Male**	7,677	2,303	1,535	768	5,374	5,374	-
	Female	6,909	-	-	-	6,909	6,909	-
65 +	**Male**	6,909	4,606	4,606	-	2,303	1,535	768
	Female	7,677	5,374	3,838	1,535	2,303	1,535	768

TABLE XVIII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	5,113	1,278	10,225	1,917	1,917	19,812
Urban	2,556	639	9,586	1,278	-	6,391
Rural	2,556	639	639	639	1,917	13,421
Male	1,917	639	7,030	1,278	639	12,143
Female	3,195	639	3,195	639	1,278	7,669
White	3,195	639	8,947	1,278	1,917	19,172
Nonwhite	1,917	639	1,278	639	-	639
0-5	-	-	-	639	-	-
6-10	-	639	639	-	-	-
11-15	-	-	-	-	-	639
16-20	639	-	1,278	-	-	639
21-30	-	-	1,278	-	-	639
31-40	-	-	-	-	639	639
41-50	639	-	3,834	639	-	2,556
51-64	-	639	-	639	639	10,225
65 +	3,834	-	3,195	-	639	4,474

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XVIII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	6,038	1,509	12,076	2,264	2,264	23,397
Urban	3,019	755	11,321	1,509	-	7,547
Rural	3,019	755	755	755	2,264	15,849
Male	2,264	755	8,302	1,509	755	14,340
Female	3,774	755	3,774	755	1,509	9,057
White	3,774	755	10,566	1,509	2,264	22,642
Nonwhite	2,264	755	1,509	755	-	755
0-5	-	-	-	755	-	-
6-10	-	755	755	-	-	-
11-15	-	-	-	-	-	755
16-20	755	-	1,509	-	-	755
21-30	-	-	1,509	-	-	755
31-40	-	-	-	-	755	755
41-50	755	-	4,528	755	-	3,019
51-64	-	755	-	755	755	12,076
65 +	4,528	-	3,774	-	755	5,283

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XVIII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 6 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	6,141	1,535	12,283	2,303	2,303	23,798
Urban	3,071	768	11,515	1,535	-	7,677
Rural	3,071	768	768	768	2,303	16,121
Male	2,303	768	8,444	1,535	768	14,586
Female	3,838	768	3,838	768	1,535	9,212
White	3,838	768	10,747	1,535	2,303	23,030
Nonwhite	2,303	768	1,535	768	-	768
0-5	-	-	-	768	-	-
6-10	-	768	768	-	-	-
11-15	-	-	-	-	-	768
16-20	768	-	1,535	-	-	768
21-30	-	-	1,535	-	-	768
31-40	-	-	-	-	768	768
41-50	768	-	4,606	768	-	3,071
51-64	-	768	-	768	768	12,283
65 +	4,606	-	3,838	-	768	5,374

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XIX-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 7 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	17,963	285	285	-	17,678	17,678	-
	Female	15,682	855	855	-	14,827	14,827	-
Age 0-5	Male	285	-	-	-	285	285	-
	Female	285	-	-	-	285	285	-
6-10	Male	855	-	-	-	855	855	-
	Female	570	-	-	-	570	570	-
11-15	Male	1,426	-	-	-	1,426	1,426	-
	Female	1,711	-	-	-	1,711	1,711	-
16-20	Male	2,281	-	-	-	2,281	2,281	-
	Female	285	-	-	-	285	285	-
21-30	Male	1,141	-	-	-	1,141	1,141	-
	Female	285	285	285	-	-	-	-
31-40	Male	1,996	-	-	-	1,996	1,996	-
	Female	2,851	-	-	-	2,851	2,851	-
41-50	Male	3,707	-	-	-	3,707	3,707	-
	Female	2,281	-	-	-	2,281	2,281	-
51-64	Male	3,136	285	285	-	2,851	2,851	-
	Female	3,992	570	570	-	3,422	3,422	-
65 +	Male	3,136	-	-	-	3,136	3,136	-
	Female	3,422	-	-	-	3,422	3,422	-

TABLE XIX-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 7 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	16,907	268	268	-	16,638	16,638	-
	Female	14,760	805	805	-	13,955	13,955	-
Age 0-5	Male	268	-	-	-	268	268	-
	Female	268	-	-	-	268	268	-
6-10	Male	805	-	-	-	805	805	-
	Female	537	-	-	-	537	537	-
11-15	Male	1,342	-	-	-	1,342	1,342	-
	Female	1,610	-	-	-	1,610	1,610	-
16-20	Male	2,147	-	-	-	2,147	2,147	-
	Female	268	-	-	-	268	268	-
21-30	Male	1,073	-	-	-	1,073	1,073	-
	Female	268	268	268	-	-	-	-
31-40	Male	1,879	-	-	-	1,879	1,879	-
	Female	2,684	-	-	-	2,684	2,684	-
41-50	Male	3,489	-	-	-	3,489	3,489	-
	Female	2,147	-	-	-	2,147	2,147	-
51-64	Male	2,952	268	268	-	2,684	2,684	-
	Female	3,757	537	537	-	3,220	3,220	-
65 +	Male	2,952	-	-	-	2,952	2,952	-
	Female	3,220	-	-	-	3,220	3,220	-

TABLE XIX-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 7 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	16,642	264	264	-	16,378	16,378	-
	Female	14,529	792	792	-	13,737	13,737	-
Age 0-5	Male	264	-	-	-	264	264	-
	Female	264	-	-	-	264	264	-
6-10	Male	792	-	-	-	792	792	-
	Female	528	-	-	-	528	528	-
11-15	Male	1,321	-	-	-	1,321	1,321	-
	Female	1,585	-	-	-	1,585	1,585	-
16-20	Male	2,113	-	-	-	2,113	2,113	-
	Female	264	-	-	-	264	264	-
21-30	Male	1,057	-	-	-	1,057	1,057	-
	Female	264	264	264	-	-	-	-
31-40	Male	1,849	-	-	-	1,849	1,849	-
	Female	2,642	-	-	-	2,642	2,642	-
41-50	Male	3,434	-	-	-	3,434	3,434	-
	Female	2,113	-	-	-	2,113	2,113	-
51-64	Male	2,906	264	264	-	2,642	2,642	-
	Female	3,698	528	528	-	3,170	3,170	-
65 +	Male	2,906	-	-	-	2,906	2,906	-
	Female	3,170	-	-	-	3,170	3,170	-

TABLE XX-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 7 HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	**Hearing Defects**	**Functional Impairments**	**Absence of Limb or Amputations**	**Mental or Personality Disorders**	**Other Conditions***
Totals	1,426	2,281	10,550	1,426	285	19,674
Urban	-	-	-	-	-	1,141
Rural	1,426	2,281	10,550	1,426	285	18,533
Male	855	1,426	7,698	855	285	7,698
Female	570	855	2,851	570	-	11,975
White	1,426	2,281	10,550	1,426	285	19,674
Nonwhite	-	-	-	-	-	-
0-5	-	-	-	-	-	570
6-10	-	-	285	285	-	1,141
11-15	570	-	855	-	-	1,711
16-20	285	-	570	285	-	1,426
21-30	-	-	855	-	285	285
31-40	-	285	855	285	-	3,422
41-50	-	1,141	1,996	-	-	3,136
51-64	285	-	2,281	570	-	4,277
65 +	285	855	2,851	-	-	3,707

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XX-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 7 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	1,342	2,147	9,929	1,342	268	18,517
Urban	-	-	-	-	-	1,073
Rural	1,342	2,147	9,929	1,342	268	17,443
Male	805	1,342	7,246	805	268	7,246
Female	537	805	2,684	537	-	11,271
White	1,342	-	9,929	1,342	268	18,517
Nonwhite	-	-	-	-	-	-
0-5	-	-	-	-	-	537
6-10	-	-	268	268	-	1,073
11-15	537	-	805	-	-	1,610
16-20	268	-	537	268	-	1,342
21-30	-	-	805	-	268	268
31-40	-	268	805	268	-	3,220
41-50	-	1,073	1,879	-	-	2,952
51-64	268	-	2,147	537	-	4,025
65 +	268	805	2,684	-	-	3,489

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XX-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 7 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	1,321	2,113	9,774	1,321	264	18,227
Urban	-	-	-	-	-	1,057
Rural	1,321	2,113	9,774	1,321	264	17,171
Male	792	1,321	7,132	792	264	7,132
Female	528	792	2,642	528	-	11,095
White	1,321	2,113	9,774	1,321	264	18,227
Nonwhite	-	-	-	-	-	-
0-5	-	-	-	-	-	528
6-10	-	-	264	264	-	1,057
11-15	528	-	792	-	-	1,585
16-20	264	-	528	264	-	1,321
21-30	-	-	792	-	264	264
31-40	-	264	792	264	-	3,170
41-50	-	1,057	1,849	-	-	2,906
51-64	264	-	2,113	528	-	3,962
65 +	264	792	2,642	-	-	3,434

***Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.**

TABLE XXI-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	6,854	4,329	3,968	361	2,525	2,525	-
	Female	6,493	3,607	3,607	-	2,886	2,886	-
Age 0-5	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	361	-	-	-	361	361	-
	Female	-	-	-	-	-	-	-
11-15	Male	-	-	-	-	-	-	-
	Female	361	-	-	-	361	361	-
16-20	Male	721	361	361	-	361	361	-
	Female	361	361	361	-	-	-	-
21-30	Male	361	361	361	-	-	-	-
	Female	1,082	721	721	-	361	361	-
31-40	Male	361	361	361	-	-	-	-
	Female	721	361	361	-	361	361	-
41-50	Male	1,443	721	721	-	721	721	-
	Female	361	361	361	-	-	-	-
51-64	Male	1,804	721	721	-	1,082	1,082	-
	Female	1,804	361	361	-	1,443	1,443	-
65 +	Male	1,804	1,804	1,443	361	-	-	-
	Female	1,804	1,443	1,443	-	361	361	-

TABLE XXI-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	7,132	4,505	4,129	375	2,628	2,628	-
	Female	6,757	3,754	3,754	-	3,003	3,003	-
Age 0-5	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	375	-	-	-	375	375	-
	Female	-	-	-	-	-	-	-
11-15	Male	-	-	-	-	-	-	-
	Female	375	-	-	-	375	375	-
16-20	Male	751	375	375	-	375	375	-
	Female	375	375	375	-	-	-	-
21-30	Male	375	375	375	-	-	-	-
	Female	1,126	751	751	-	375	375	-
31-40	Male	375	375	375	-	-	-	-
	Female	751	375	375	-	375	375	-
41-50	Male	1,502	751	751	-	751	751	-
	Female	375	375	375	-	-	-	-
51-64	Male	1,877	751	751	-	1,126	1,126	-
	Female	1,877	375	375	-	1,502	1,502	-
65 +	Male	1,877	1,877	1,502	375	-	-	-
	Female	1,877	1,502	1,502	-	375	375	-

TABLE XXI-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	**Male**	7,125	4,500	4,125	375	2,625	2,625	-
	Female	6,750	3,750	3,750	-	3,000	3,000	-
Age 0-5	**Male**	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
6-10	**Male**	375	-	-	-	375	375	-
	Female	-	-	-	-	-	-	-
11-15	**Male**	-	-	-	-	-	-	-
	Female	375	-	-	-	375	375	-
16-20	**Male**	750	375	375	-	375	375	-
	Female	375	375	375	-	-	-	-
21-30	**Male**	375	375	375	-	-	-	-
	Female	-	750	750	-	375	375	-
31-40	**Male**	375	375	375	-	-	-	-
	Female	750	375	375	-	375	375	-
41-50	**Male**	1,500	750	750	-	750	750	-
	Female	375	375	375	-	-	-	-
51-64	**Male**	1,875	750	750	-	1,125	1,125	-
	Female	1,875	375	375	-	1,500	1,500	-
65 +	**Male**	1,875	1,875	1,500	375	-	-	-
	Female	1,875	1,500	1,500	-	375	375	-

TABLE XXII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	**Hearing Defects**	**Functional Impairments**	**Absence of Limb or Amputations**	**Mental or Personality Disorders**	**Other Conditions***
Totals	361	361	5,050	361	721	6,854
Urban	361	-	2,886	-	721	4,329
Rural	-	361	2,164	361	-	2,525
Male	361	-	2,525	361	361	3,247
Female	-	361	2,525	-	361	3,607
White	361	361	4,690	361	721	6,854
Nonwhite	-	-	361	-	-	-
0-5	-	-	-	-	-	-
6-10	-	-	-	-	-	361
11-15	-	-	-	-	-	361
16-20	361	-	-	-	-	721
21-30	-	-	-	-	361	1,082
31-40	-	-	1,082	-	-	-
41-50	-	-	721	361	361	361
51-64	-	-	2,164	-	-	1,082
65 +	-	-	1,082	-	-	2,886

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	**Hearing Defects**	**Functional Impairments**	**Absence of Limb or Amputations**	**Mental or Personality Disorders**	**Other Conditions***
Totals	375	375	5,255	375	751	7,132
Urban	375	-	3,003	-	751	4,505
Rural	-	375	2,252	375	-	2,628
Male	375	-	2,628	375	375	3,379
Female	-	375	2,628	-	375	3,754
White	375	375	4,880	375	751	7,132
Nonwhite	-	-	375	-	-	-
0-5	-	-	-	-	-	-
6-10	-	-	-	-	-	375
11-15	-	-	-	-	-	375
16-20	375	-	-	-	-	751
21-30	-	-	-	-	375	1,126
31-40	-	-	1,126	-	-	1,126
41-50	-	-	751	375	375	375
51-64	-	375	2,252	-	-	1,126
65 +	-	-	1,126	-	-	3,003

***Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.**

TABLE XXII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 8 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	375	375	5,250	375	750	7,125
Urban	375	-	3,000	-	750	4,500
Rural	-	375	2,250	375	-	2,525
Male	375	-	2,625	375	375	3,375
Female	-	375	2,625	-	375	3,750
White	375	375	4,875	375	750	7,125
Nonwhite	-	-	375	-	-	-
0-5	-	-	-	-	-	-
6-10	-	-	-	-	-	375
11-15	-	-	-	-	-	375
16-20	375	-	-	-	-	750
21-30	-	-	-	-	375	1,125
31-40	-	-	1,125	-	-	-
41-50	-	-	750	375	375	375
51-64	-	375	2,250	-	-	1,125
65 +	-	-	1,125	-	-	3,000

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXIII-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	9,201	5,019	4,740	279	4,182	3,904	279
	Female	6,971	3,904	3,904	-	3,067	2,788	279
Age 0-5	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	558	558	558	-	-	-	-
	Female	279	279	279	-	-	-	-
11-15	Male	558	279	279	-	279	-	279
	Female	279	279	279	-	-	-	-
16-20	Male	558	279	279	-	279	279	-
	Female	-	-	-	-	-	-	-
21-30	Male	836	279	279	-	558	558	-
	Female	558	279	279	-	279	279	-
31-40	Male	279	-	-	-	279	279	-
	Female	836	836	836	-	-	-	-
41-50	Male	558	558	558	-	-	-	-
	Female	558	-	-	-	558	558	-
51-64	Male	2,231	836	836	-	1,394	1,394	-
	Female	1,394	836	836	-	558	279	279
65 +	Male	3,625	2,231	1,952	279	1,394	1,394	-
	Female	3,067	1,394	1,394	-	1,673	1,673	-

TABLE XXIII-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES, 1970 BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	10,095	5,506	5,200	306	4,283	4,283	306
	Female	7,648	4,283	4,283	-	3,365	3,059	306
Age 0-5	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	612	612	612	-	-	-	-
	Female	306	306	306	-	-	-	-
11-15	Male	612	306	306	-	306	-	306
	Female	306	306	306	-	-	-	-
16-20	Male	612	306	306	-	306	306	-
	Female	-	-	-	-	-	-	-
21-30	Male	918	306	306	-	612	612	-
	Female	612	306	306	-	306	306	-
31-40	Male	306	-	-	-	306	306	-
	Female	918	918	918	-	-	-	-
41-50	Male	612	612	612	-	-	-	-
	Female	612	-	-	-	612	612	-
51-64	Male	2,447	918	918	-	1,530	1,530	-
	Female	1,530	918	918	-	612	306	306
65 +	Male	3,977	2,447	2,141	306	1,530	1,530	-
	Female	3,365	1,530	1,530	-	1,835	1,835	-

TABLE XXIII-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	10,080	5,498	5,193	305	4,582	4,276	305
	Female	7,636	4,276	4,276	-	3,360	3,055	305
Age 0-5	Male	-	-	-	-	-	-	-
	Female	-	-	-	-	-	-	-
6-10	Male	610	610	610	-	-	-	-
	Female	305	305	305	-	-	-	-
11-15	Male	610	305	305	-	305	-	305
	Female	305	305	305	-	-	-	-
16-20	Male	610	305	305	-	305	305	-
	Female	-	-	-	-	-	-	-
21-30	Male	916	305	305	-	610	610	-
	Female	610	305	305	-	305	305	-
31-40	Male	305	-	-	-	305	305	-
	Female	916	916	916	-	-	-	-
41-50	Male	610	610	610	-	-	-	-
	Female	610	-	-	-	610	610	-
51-64	Male	2,444	916	916	-	1,527	1,527	-
	Female	1,527	916	916	-	610	305	305
65 +	Male	3,971	2,444	2,138	305	1,527	1,527	-
	Female	3,360	1,527	1,527	-	1,833	1,833	-

TABLE XXIV-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	**Hearing Defects**	**Functional Impairments**	**Absence of Limb or Amputations**	**Mental or Personality Disorders**	**Other Conditions***
Totals	1,952	279	4,461	836	1,115	8,086
Urban	1,115	279	2,231	558	836	4,461
Rural	836	-	2,231	279	279	3,625
Male	836	-	1,952	836	836	5,298
Female	1,115	279	2,509	-	279	2,788
White	1,673	279	4,182	836	1,115	7,807
Nonwhite	279	-	279	-	-	279
0-5	-	-	-	-	-	-
6-10	279	-	-	-	279	279
11-15	-	-	558	-	279	-
16-20	279	-	-	-	-	279
21-30	-	-	558	-	279	558
31-40	279	-	558	-	-	279
41-50	-	-	279	-	279	558
51-64	558	-	279	279	-	2,509
65 +	558	279	2,231	558	-	3,625

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXIV-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	2,141	306	4,895	918	1,224	8,871
Urban	1,224	306	2,447	612	918	4,895
Rural	918	-	2,447	306	306	3,977
Male	918	-	2,141	918	918	5,812
Female	1,224	306	2,753	-	306	3,059
White	1,835	306	4,589	918	1,224	8,566
Nonwhite	306	-	306	-	-	306
0-5	-	-	-	-	-	-
6-10	306	-	-	-	306	306
11-15	-	-	612	-	306	-
16-20	306	-	-	-	-	306
21-30	-	-	612	-	306	612
31-40	306	-	612	-	-	306
41-50	-	-	306	-	306	612
51-64	612	-	306	306	-	2,753
65 +	612	306	2,447	612	-	3,977

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXIV-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 9 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	2,138	305	4,887	916	1,222	8,858
Urban	1,222	305	2,444	611	916	4,887
Rural	916	-	2,444	305	305	3,971
Male	916	-	2,138	916	916	5,804
Female	1,222	305	2,749	-	305	3,055
White	1,833	305	4,582	916	1,222	8,553
Nonwhite	305	-	305	-	-	305
0-5	-	-	-	-	-	-
6-10	305	-	-	-	305	305
11-15	-	-	611	-	305	-
16-20	305	-	-	-	-	305
21-30	-	-	611	-	305	611
31-40	305	-	611	-	-	305
41-50	-	-	305	-	305	611
51-64	611	-	305	305	-	2,749
65 +	611	305	2,444	611	-	3,971

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXV-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES, 1967, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	74,849	54,286	50,585	3,701	20,563	17,684	2,879
	Female	85,131	67,035	62,923	4,113	18,095	16,039	2,056
Age 0-5	Male	2,056	823	823	-	1,234	1,234	-
	Female	2,056	1,234	1,234	-	823	823	-
6-10	Male	4,524	3,290	2,879	411	1,234	1,234	-
	Female	2,056	1,234	1,234	-	823	823	-
11-15	Male	3,290	3,290	3,290	-	-	-	-
	Female	5,346	4,113	3,290	823	1,234	1,234	-
16-20	Male	4,524	3,290	3,290	-	1,234	1,234	-
	Female	4,935	4,113	4,113	-	823	411	411
21-30	Male	3,701	3,290	3,290	-	411	411	-
	Female	7,403	6,580	6,580	-	823	823	-
31-40	Male	8,636	6,991	6,580	411	1,645	1,645	-
	Female	5,346	4,113	4,113	-	1,234	1,234	-
41-50	Male	11,927	8,636	7,814	823	3,290	2,879	411
	Female	12,749	11,515	11,104	411	1,234	1,234	-
51-64	Male	20,152	14,394	13,572	823	5,758	4,935	823
	Female	25,087	18,507	16,862	1,645	6,580	4,935	1,645
65 +	Male	16,450	10,282	9,048	1,234	6,169	4,113	1,645
	Female	20,152	15,628	14,394	1,234	4,524	4,524	-

TABLE XXV-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES, 1970, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	**Male**	99,048	71,837	66,939	4,898	27,211	23,401	3,810
	Female	112,653	88,708	83,266	5,442	23,946	21,225	2,721
Age 0-5	**Male**	2,721	1,088	1,088	-	1,633	1,633	-
	Female	2,721	1,633	1,633	-	1,088	1,088	-
6-10	**Male**	5,986	4,354	3,810	544	1,633	1,633	-
	Female	2,721	1,633	1,633	-	1,088	1,088	-
11-15	**Male**	4,354	4,354	4,354	-	-	-	-
	Female	7,075	5,442	4,354	1,088	1,633	1,633	-
16-20	**Male**	5,986	4,354	4,354	-	1,633	1,633	-
	Female	6,531	5,442	5,442	-	1,088	544	544
21-30	**Male**	4,898	4,354	4,354	-	544	544	-
	Female	9,796	8,708	8,708	-	1,088	1,088	-
31-40	**Male**	11,429	9,252	8,708	544	2,177	2,177	-
	Female	7,075	5,442	5,442	-	1,633	1,633	-
41-50	**Male**	15,782	11,429	10,340	1,088	4,354	3,810	544
	Female	16,871	15,238	14,694	544	1,633	1,633	-
51-64	**Male**	26,667	19,048	17,959	1,088	7,619	6,531	1,088
	Female	33,197	24,490	22,313	2,177	8,708	6,531	2,177
65 +	**Male**	21,769	13,606	11,973	1,633	8,163	5,442	2,177
	Female	26,667	20,680	19,048	1,633	5,986	5,986	-

TABLE XXV-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES, 1975, BY AGE, SEX, RESIDENCE, AND RACE

		Grand Total	Urban			Rural		
			Total Urban	White	Non-white	Total Rural	White	Non-white
Totals	Male	103,561	75,110	69,989	5,121	28,451	24,468	3,983
	Female	117,787	92,750	87,060	5,690	25,037	22,192	2,845
Age 0-5	Male	2,845	1,138	1,138	-	1,707	1,707	-
	Female	2,845	1,707	1,707	-	1,138	1,138	-
6-10	Male	6,259	4,552	3,983	569	1,707	1,707	-
	Female	2,845	1,707	1,707	-	1,138	1,138	-
11-15	Male	4,552	4,552	4,552	-	-	-	-
	Female	7,397	5,690	4,552	1,138	1,707	1,707	-
16-20	Male	6,259	4,552	4,552	-	1,707	1,707	-
	Female	6,828	5,690	5,690	-	1,138	569	569
21-30	Male	5,121	4,552	4,552	-	569	569	-
	Female	10,242	9,104	9,104	-	1,138	1,138	-
31-40	Male	11,949	9,673	9,104	569	2,276	2,276	-
	Female	7,397	5,690	5,690	-	1,707	1,707	-
41-50	Male	16,502	11,949	10,811	1,138	4,552	3,983	569
	Female	17,640	15,933	15,364	569	1,707	1,707	-
51-64	Male	27,882	19,916	18,778	1,138	7,966	6,828	1,138
	Female	34,710	25,606	23,330	2,276	9,104	6,828	2,276
65 +	Male	22,761	14,225	12,518	1,707	8,535	5,690	2,276
	Female	27,882	21,623	19,916	1,707	6,259	6,259	-

TABLE XXVI-A

ESTIMATES OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES, 1967, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	**Hearing Defects**	**Functional Impairments**	**Absence of Limb or Amputations**	**Mental or Personality Disorders**	**Other Conditions***
Totals	13,160	11,927	47,706	1,645	5,346	90,066
Urban	11,927	9,870	32,078	1,234	4,524	69,503
Rural	1,234	2,056	15,628	411	823	20,563
Male	7,814	6,991	23,442	1,645	2,056	37,836
Female	5,346	4,935	24,264	-	3,290	52,230
White	13,160	11,104	42,360	1,645	5,346	83,075
Nonwhite	-	823	5,346	-	-	6,991
0-5	823	-	-	-	411	2,879
6-10	411	411	1,234	-	411	4,935
11-15	-	411	823	-	411	7,403
16-20	-	-	1,234	-	823	7,403
21-30	1,645	-	2,056	-	-	7,814
31-40	2,056	823	4,935	411	823	5,346
41-50	2,056	823	8,225	-	-	14,394
51-64	3,701	3,290	16,862	823	1,645	21,386
65 +	2,468	6,169	12,338	411	823	18,507

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXVI-B

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES, 1970, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	17,415	15,782	63,129	2,177	7,075	119,184
Urban	15,782	13,061	42,449	1,633	5,986	91,973
Rural	1,633	2,721	20,680	544	1,088	27,211
Male	10,340	9,252	31,021	2,177	2,721	50,068
Female	7,075	6,531	32,109	-	4,354	69,116
White	17,415	14,694	56,055	2,177	7,075	109,932
Nonwhite	-	1,088	7,075	-	-	9,252
0-5	1,088	-	-	-	544	3,810
6-10	544	544	1,633	-	544	6,531
11-15	-	544	1,088	-	544	9,796
16-20	-	-	1,633	-	1,088	9,796
21-30	2,177	-	2,721	-	-	10,340
31-40	2,721	1,088	6,531	544	1,088	7,075
41-50	2,721	1,088	10,884	-	-	19,048
51-64	4,898	4,354	22,313	1,088	2,177	28,299
65 +	3,265	8,163	16,327	544	1,088	24,490

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

TABLE XXVI-C

PROJECTIONS OF NUMBERS OF PERSONS IN AREA 10 HAVING DISABILITIES, 1975, BY TYPE OF DISABILITY, RESIDENCE, SEX, RACE, AND AGE

	Type of Disability					
	Visual Defects	Hearing Defects	Functional Impairments	Absence of Limb or Amputations	Mental or Personality Disorders	Other Conditions*
Totals	18,209	16,502	66,006	2,276	7,397	124,615
Urban	16,502	13,656	44,383	1,707	6,259	96,164
Rural	1,707	2,845	21,623	569	1,138	28,451
Male	10,811	9,673	32,434	2,276	2,845	52,350
Female	7,397	6,828	33,572	-	4,552	72,265
White	18,209	15,364	58,609	2,276	7,397	114,942
Nonwhite	-	1,138	7,397	-	-	9,673
0-5	1,138	-	-	-	569	3,983
6-10	569	569	1,707	-	569	6,828
11-15	-	569	1,138	-	569	10,242
16-20	-	-	1,707	-	1,138	10,242
21-30	2,276	-	2,845	-	-	10,811
31-40	2,845	1,138	6,828	569	1,138	7,397
41-50	2,845	1,138	11,380	-	-	19,916
51-64	5,121	4,552	23,330	1,138	2,276	29,589
65 +	3,414	8,535	17,071	569	1,138	25,606

*Such as cancer, leukemia, allergy, nutritional diseases, diabetes, asthma, anaemia, epilepsy, heart and circulatory conditions, tuberculosis, emphysema, chronic bronchitis, ulcers, conditions of the genito-urinary system, and speech impairments such as cleft palate, harelip, stuttering, and aphasia.

APPENDIX

OKLAHOMA STATE UNIVERSITY
RESEARCH FOUNDATION

Oklahoma Survey of Disabilities

Address ______________________ County ____________ Date __________

Type of Residence: Urban ☐ Rural-Non-Farm ☐ Rural-Farm ☐

1. List all members residing in the household.

First name only	Age	Sex	Race	Employed Full-Time? Part-Time?	Type of Work or Occupation	Self-Employed?	Last Grade Completed in School

VRA__________

2. Do any members of the household have a physical or mental disability?

Yes ☐ IF YES, WRITE FIRST NAME OF DISABLED AND DESCRIPTION OF DISABILITY.

No ☐ IF NO, ASK QUESTION 3.

(First name)	(Disability)

3. Now, I wonder if you would mind going over this list with me and telling me whether anyone who lives here has any of the conditions listed here.

HAND RESPONDENT COPY OF CATEGORIES,
READ ALOUD THE CATEGORIES,
LIST FIRST NAME AND DESCRIPTION,
WHERE APPROPRIATE, ASK CAUSE OF IMPAIRMENT.

(First name)	(Disability)

IF NO DISABILITIES ARE LISTED ABOVE, GO TO QUESTION 15 AND CONCLUDE THE INTERVIEW FROM THAT POINT.

4. Can __________ (each name listed above) move about without the aid of another person?

(First name)

______________________ Yes ☐ No ☐

______________________ ☐ ☐

______________________ ☐ ☐

(First name)	Age	Q6	Q7	Q8	Q9

WRITE ANSWERS TO THE FOLLOWING FIVE QUESTIONS IN THE SPACES PROVIDED ABOVE, COMPLETING INFORMATION FOR EACH DISABLED PERSON.

5. At what age did the disability (or did this condition) occur?

6. Was ____________ employed when the disability occurred?

7. Has ____________ ever talked with a Vocational Rehabilitation Counselor?

8. Would __________ be willing to leave his home or county to receive services or training?

9. Would __________ be willing to leave his home or county to be employed elsewhere?

IF NO, ASK

a. Could you give me any particular reason why?

____

IF THE DISABLED IS UNEMPLOYED ASK QUESTION 10. OTHERWISE GO ON TO 11.

10. Are there any jobs you feel _________ could hold at the present time, without any further training?

(First name)	Yes	No	IF YES, What are they?
______________	☐	☐	______________
______________	☐	☐	______________
______________	☐	☐	______________
______________	☐	☐	______________

11. Has ______________ ever received any financial aid in connection with the disability?

(First name)	Yes	No	IF YES, From what Agency?
______________	☐	☐	______________
______________	☐	☐	______________
______________	☐	☐	______________

12. Are any members of your family currently receiving services in or through sheltered workshops or rehabilitation facilities?
Yes ☐ No ☐

(First name)	(Facility)

13. Do you know what a sheltered workshop is?

Yes ☐ IF YES, Would you say that the things you have heard about them are favorable ☐
or unfavorable? ☐

No ☐ IF NO, READ THE FOLLOWING TO THE RESPONDENT:

A sheltered workshop is a place where almost any severely disabled person may come and gain training and otherwise learn any of a large variety of jobs. They earn while they learn and after training may continue on in the workshop at their job, and earn a steady income, or they may leave the workshop and enter competitive employment. In the workshop they need not worry about losing their positions because of fierce competition from their fellow workers. Each is urged to perform at his or her own rate.

14. Would any disabled members of your family be interested in utilizing the services of a sheltered workshop?

(First name)	Yes	No
	☐	☐
	☐	☐
	☐	☐
	☐	☐

15. There is much talk about mental institutions in our country today, and there seem to be two opposite views about them. Some people feel that they are mainly custodial, that is, they serve largely to confine and care for the mentally ill, to keep them away from other people. Others believe that they are mainly hospitals where the mentally ill are treated and helped so that many of them return to lead useful lives.

Do you believe that mental institutions in America today operate mostly as custodial institutions or as real hospitals and treatment centers?

Custodial ☐ Don't know ☐

Hospital ☐

16. What proportion of mental patients entering hospitals in the United States nowadays would you guess are returned to their homes to lead useful lives?

Less than one-fourth ☐

Between one-fourth and one-half ☐

Between one-half and three-quarters ☐

More than three-quarters ☐

17. What would be your reaction if you were working in an office or shop and a person who had been in a mental hospital was hired to work near you?

Would you feel OK about it? ☐

have some misgivings? ☐

feel somewhat uneasy? ☐

or feel very uneasy? ☐

18. What would be your reaction if you were working in an office or shop and a person who had been in a prison was hired to work near you?

Would you feel OK about it? ☐

have some misgivings? ☐

feel somewhat uneasy? ☐

or feel very uneasy? ☐

19. Have any members of the household spent any time in a mental hospital?

Yes ☐ No ☐

(First name)	(Institution)

20. Have any members of the household spent any time in a correctional-training school, a penal institution, or other related institutions?

Yes ☐ No ☐

(First name)	(Institution)

This concludes the interview. We are grateful for your time and cooperation. Are there any questions or comments that you have?

Thank you again.